Neues Jahrbuch für Mineralogie

Begründet 1807

Monatshefte

Redaktion
G. T. FAUST Madison New Jersey K. R. MEHNERT Berlin
H. SAALFELD Hamburg F. SEIFERT Kiel R. A. YUND Providence

Jahrgang 1983 · Mit zahlreichen Abbildungen und Tabellen im Text

E. Schweizerbart'sche Verlagsbuchhandlung
(Nägele u. Obermiller) · Stuttgart 1983

Alle Rechte, auch das der Übersetzung, vorbehalten

Printed in Germany

Jegliche Vervielfältigung einschließlich photomechanischer Wiedergabe der in dem Band enthaltenen Beiträge oder Teile daraus nur mit ausdrücklicher Genehmigung durch den Verlag

Calwer Druckzentrum GmbH

Inhalt

Seite

Abraham, K. s. Medenbach, O.

Alberti, A. & Vezzalini, G.: How the structure of natrolite is modified through the heating-induced dehydration. With 3 figures and 4 tables in the text 135

Amigó, J. M. s. Arriortua, M. I.

Annehed, H. s. Johnsen, O.

Arriortua, M. I., Rius, J., Soláns, X. & Amigó, J. M.: Thermal behaviour in a synthetic phase of lead (II)-indium (III) sulphosalt: High- and low-temperature phases closely related to natural and synthetic bismuth-lead sulphosalts. With 3 figures and 3 tables in the text 343

Basso, R., Della Giusta, A. & Zefiro, L.: Crystal structure refinement of plazolite: a highly hydrated natural hydrogrossular. With 1 figure and 5 tables in the text 251

Basu, K., Bortnikov, N. S., Mookherjee, A., Mozgova, N. N., Tsepin, A. I. & Vyalsov, L. N.: Rare minerals from Rajpura-Dariba, Rajasthan, India IV: a new Pb–Ag–Tl–Sb sulphosalt, rayite. With 2 figures and 3 tables in the text 296

Bente, K.: Electrochemical investigations on the stability of russellite (Bi_2WO_6) and koechlinite (Bi_2MoO_6). With 4 figures and 2 tables in the text 314

Beran, A., Hafner, St. & Zemann, J.: Untersuchungen über den Einbau von Hydroxilgruppen im Edelstein-Sillimanit. [Investigations on the mode of occurrence of hydroxyl groups in sillimanite of gem quality.] Mit 4 Abbildungen und 1 Tabelle im Text 219

Bernardini, G. P., Corsini, F., Lattanzi, P. F. & Mazzetti, G.: The Cu–Fe–Se system: summary of phase relations; comparison with natural occurrences and implications for the Cu–Fe–S–Se system. With 3 figures and 3 tables in the text 323

Bernhardt, H.-J., Schmetzer, K. & Medenbach, O.: Berdesinskiite, V_2TiO_5, a new mineral from Kenya and additional data for schreyerite, $V_2Ti_3O_9$. With 1 figure and 7 tables in the text 110

Bertrand, J. s. Sarp, H.

Bortnikov, N. S. s. Basu, K.

Breuer, K.-H. s. Schmidt, U.

Christofides, G. & Sapountzis, E.: Compositional dependence of the Mg–Fe^{2+} distribution coefficient in biotite–hornblende pairs from the Xanthi (N. Greece) granitic rocks. With 8 figures and 2 tables in the text 1

Coe, F. L. s. Deganello, S.

Corsini, F. s. Bernardini, G. P.

Deferne, J. s. Sarp, H.

Deganello, S.: The crystal structure of cesanite at 21 and 236 °C. With 2 figures and 3 tables in the text 305

Deganello, S. & Coe, F. L.: Epitaxy between uric acid and whewellite: experimental verification. With 2 figures and 3 tables in the text 270

Della Giusta, A. s. Basso, R.

Dent Glasser, L. S. s. Hentschel, G.

Doroshev, A. M., Olesch, M., Logvinov, V. M. & Malinovsky, I. Ju.: High pressure stability of zinc clinopyroxene $ZnSiO_3$ and the occurrence of a new polytype of zinc orthosilicate Zn_2SiO_4 as a breakdown product. With 4 figures and 2 tables in the text . . 277

Dunn, P. J. s. Peacor, D. R.

Dwornik, E. J. s. Milton, C.

Economou, M. s. Skounakis, St.

Ederová, J. s. Mrázek, Z.

Effenberger, H., Kirfel, A., Will, G. & Zobetz, E.: A further refinement of the crystal structure of thaumasite, $Ca_3Si(OH)_6CO_3$-$SO_4 \cdot 12H_2O$. With 1 figure and 3 tables in the text 60

Eysel, W. s. Schmidt, U.

Fälth, L. s. Johnsen, O.

Fiedler, F.-J., Lohse, H.-H. & Schürmann, K.: Synthesis of zeolites in the system Na_2O–Al_2O_3–SiO_2H_2O. With 3 figures and 2 tables in the text 358

Finkelman, R. B. s. Milton, C.

Fischer, R. X. & Tillmanns, E.: Die Kristallstrukturen von natürlichem $Na_2Ca_2Si_3O_9$ vom Mt. Shaheru (Zaire) und aus dem Mayener Feld (Eifel). [The crystal structures of natural $Na_2Ca_2Si_3O_9$ from Mt. Shaheru (Zaire) and from the Mayener Feld (Eifel).] Mit 2 Abbildungen und 5 Tabellen im Text 49

Follner, H.: Zum Wachstum von Kristallen mit hochsymmetrischen Strukturen. 12. Mitteilung. [On the growth of crystals with high symmetrical structures. 12th communication.] Mit 3 Abbildungen im Text 403

Franke, W. & Ghobarkar, H.: The morphology of hydrothermally grown celsian, paracelsian and α-hexacelsian. With 8 figures and 1 table in the text 211

Franz, E.-D.: Die chemische Zusammensetzung von Mischkristallen mit begrenzter Mischbarkeit am Beispiel des $Fe(Se,S)_2$ im System FeS_2–$FeSe_2$. Mit 1 Abbildung und 2 Tabellen im Text 130

Galli, E. s. Mazzi, F.

Gebert, W. s. Medenbach, O.

Ghobarkar, H. s. Franke, W.

Giuseppetti, G. & Tadini, C.: Lazulite, $(Mg,Fe)Al_2(OH)_2(PO_4)_2$: structure refinement and hydrogen bonding. With 1 figure and 3 tables in the text 410

– – Structural analysis and refinement of Bolivian creedite, $Ca_3Al_2F_8(OH)_2(SO_4) \cdot 2H_2O$. The role of hydrogen atoms. With 2 figures and 4 tables in the text 69

Graziani, G.: Advances in the study of mineral inclusions. With 3 figures in the text 481

Graziani, G., Gübelin, E. & Lucchesi, S.: The genesis of an emerald from the Kitwe District, Zambia. With 6 figures and 3 tables in the text 175

Gübelin, E. s. Graziani, G.

Hafner, St. s. Beran, A.

Haggerty, S. E.: A freudenbergite-related mineral in granulites from a kimberlite in Liberia, West Africa. With 1 figure and 1 table in the text 375

Hamm, H.-M. & Hentschel, G.: Reinhardbraunsite, $Ca_5(SiO_4)_2(OH,F)_2$, a new mineral — the natural equivalent of synthetic "calcio-chondrodite". With 3 figures and 3 tables in the text . . 119

Hammerschmidt, K. & Wagner, M.: K/Ar-Bestimmungen an Biotiten aus den kristallinen Gesteinen der Forschungsbohrung Urach III. [K/Ar determination on biotites from the crystalline rocks of the research drilling project Urach III.] Mit 2 Abbildungen und 2 Tabellen im Text 35

Hentschel, G. s. Hamm, H.-M.

Hentschel, G., Dent Glasser, L. S. & Lee, C. K.: Jasmundite, $Ca_{22}(SiO_4)_8O_4S_2$, a new mineral. With 1 figure and 2 tables in the text 337

Hess, H.: Die Kristallstruktur des Chlorotils, $SECu_6(AsO_4)_3(OH)_6 \cdot 3H_2O$ (SE = seltene Erdmetalle). [The crystal structure of chlorotile, $SECu_6(AsO_4)_3(OH)_6 \cdot 3H_2O$ (SE = rare earth metals).] Mit 1 Abbildung und 3 Tabellen im Text 385

Hettiaratchi, Th. s. Willgallis, A.

Hoffmann, C. s. Hoppe, A.

Hoppe, A., Hoffmann, C. & Ottemann, J.: Spessartine in Proterozoic quartzites of eastern Brazil. With 3 figures and 2 tables in the text 529

Johnsen, O. s. Rønsbo, J. G.

Johnsen, O., Leonardsen, E. S., Fälth, L. & Annehed, H.: Crystal structure of kvanefjeldite: The introduction of $^2_\infty[Si_3O_7OH]$ layers with eight-membered rings. With 2 figures and 4 tables in the text 505

Kalogeropoulos, S. I.: Composition and oxidation state dependence of chlorites from tuffaceous exhalites associated with volcanogenic massive sulfide ore deposits. With 5 figures and 1 table in the text 187

– Problems associated with the application of FeS in sphalerite coexisting with pyrite as an indicator of the fugacity of sulfur. With 2 figures and 2 tables in the text 89

Kalogeropoulos, S. I. & Mitropoulos, P.: Geochemistry of barites from Milos island (Aegean Sea), Greece. With 4 figures and 3 tables in the text 13

Kelly, P. R. s. Mumme, W. G.

Kirfel, A. s. Effenberger, H.

Kostakis, G.: Electrical conductivity of obsidians as a potential indicator of their provenience. With 5 figures and 2 tables in the text 424

Kühn, P. s. Scharm, B.

Langer, K. s. Smith, G.

Lattanzi, P. F. s. Bernardini, G. P.

Lee, C. K. s. Hentschel, G.

Leonardsen, E. S. s. Johnsen, O.

– s. Rønsbo, J. G.

Leoni, L. & Sartori, F.: Stevensite, pseudomorphous after periclase. With 5 figures and 1 table in the text 556

Logvinov, V. M. s. Doroshev, A. M.

Lohse, H.-H. s. Fiedler, F.-J.

Lucchesi, S. s. Graziani, G.

Lucchetti, G.: Mn-rich pumpellyite from Eastern Liguria (Italy). With 2 figures and 2 tables in the text 563

Malinovsky, I. Ju. s. Doroshev, A. M.

Mazzetti, G. s. Bernardini, G. P.

Mazzi, F. & Galli, E.: The tetrahedral framework of chabazite. With 2 figures and 10 tables in the text 461

Medenbach, O. s. Bernhardt, H.-J.

– s. Schmetzer, K.

Medenbach, O., Abraham, K. & Gebert, W.: Molybdofornacit, ein neues Blei-Kupfer-Arsenat-Molybdat-Hydroxid von Tsumeb, Namibia. [Molybdofornacite, a new lead-copper-arsenate-molybdate hydroxide from Tsumeb, Namibia.] Mit 3 Abbildungen und 3 Tabellen im Text 289

Medenbach, O., Gebert, W. & Abraham, K.: Gebhardit, $Pb_8OCl_6(As_2O_5)_2$, ein neues Arsenit von Tsumeb, Südwest-Afrika/Namibia. [Gebhardite, a new arsenite from Tsumeb, Southwest Africa/Namibia.] Mit 1 Abbildung und 2 Tabellen im Text . . . 445

Mellini, M. & Merlino, S.: Tuscanite and latiumite intergrowth. With 8 figures in the text 167

Merlino, S. s. Mellini, M.

Milton, C., Dwornik, E. J. & Finkelman, R. B.: Pecoraite, the nickel analogue of chrysotile, $Ni_3Si_2O_5(OH)_4$ from Missouri. With 5 figures and 1 table in the text 513

Mitropoulos, P. s. Kalogeropoulos, S. I.

Mookherjee, A. s. Basu, K.

Mozgova, N. N. s. Basu, K.

Mposkos, E.: A new occurrence of argentian pentlandite from the Koronuda ore mineralization, Macedonia, Greece. With 4 figures and 2 tables in the text 193

Mrázek, Z., Řídkošil, T. & Ederová, J.: New data for devillite. With 4 figures and 6 tables in the text 79

Mumme, W. G., Niedermayr, G., Kelly, P. R. & Paar, W. H.: Aschamalmite, $Pb_{5.92}Bi_{2.06}S_9$, from Untersulzbach Valley in Salzburg, Austria – "monoclinic heyrovskyite". With 3 figures and 4 tables in the text 433

Nanda, J. K., Natarajan, V., Purushottam, A. & Prabhavathi, R.: Kornerupine from Kondapalli area, Andhra Pradesh, India. With 2 figures and 1 table in the text 103

Natarajan, V. s. Nanda, J. K.

Němec, D.: Masutomilite in lithium pegmatites of West-Moravia, Czechoslovakia. With 1 figure and 1 table in the text 537

Niedermayr, G. s. Mumme, W. G.

Nord, A. G.: Incorporation of divalent metals in whitlockite-related β-$Ca_3(PO_4)_2$. With 1 figure and 2 tables in the text 489

Nuber, B. & Schmetzer, K.: Crystal structure of ternary Be-Mg-Al oxides: taaffeite, $BeMg_3Al_8O_{16}$, and musgravite, $BeMg_2Al_6O_{12}$. With 2 figures and 5 tables in the text 393

Olesch, M. s. Doroshev, A. M.

Orlandi, P. & Sabelli, C.: Ferrierite from Monastir, Sardinia, Italy. With 2 figures and 2 tables in the text 498

Ottemann, J. s. Hoppe, A.

Paar, W. H. s. Mumme, W. G.

Pauly, H. & Petersen, O. V.: Pachnolite: new optical data with a note on artificial precipitates. With 3 figures in the text . . . 241

Peacor, D. R., Dunn, P. J. & Simmons, W. B.: Ferrostrunzite, the ferrous iron analogue of strunzite from Mullica Hill, New Jersey. With 1 figure and 1 table in the text 524

Pechar, F.: Infrared reflection spectra of selected natural zeolites. With 1 figure and 1 table in the text 351

Petersen, O. V. s. Pauly, H.

– s. Rønsbo, J. G.

Prabhavathi, R. s. Nanda, J. K.

Purushottam, A. s. Nanda, J. K.

Řídkošil, T. s. Mrázek, Z.

Rius, J. s. Arriortua, M. I.

Rønsbo, J. G., Leonardsen, E. S., Petersen, O. V. & Johnsen, O.: Second occurrence of vuonnemite: the Ilímaussaq alkaline intrusion, South West Greenland. With 2 tables in the text . . . 451

Sabelli, C. s. Orlandi, P.

Sandecki, J.: Silver-rich minerals at Garpenberg Norra, central Sweden. With 6 figures and 1 table in the text 365

Sapountzis, E. s. Christofides, G.

Sarp, H., Bertrand, J. & Deferne, J.: Asselbornite, (Pb,Ba) $(UO_2)_6(BiO)_4[(As,P)O_4]_2(OH)_{12} \cdot 3H_2O$, a new uranium, bismuth, lead and barium hydrous arsenate. With 2 figures and 2 tables in the text 417

Sartori, F. s. Leoni, L.

Schäfer, G. F.: The crystal structure of barium formate, $Ba(HCOO)_2$. With 3 tables in the text 163

Scharm, B. & Kühn, P.: Synchisite-(Nd), Ca(Nd,Y,Gd,...) $[F|(CO_3)_2]$, a new mineral. With 5 figures and 4 tables in the text 201

Schmetzer, K. s. Bernhardt, H.-J.

– s. Nuber, B.

Schmetzer, K. & Medenbach, O.: Challantit aus Cache Creek, British Columbia, Kanada – ein zweiter Fundpunkt. [Challantite from Cache Creek, British Columbia, Canada – a second occurrence.] Mit 2 Abbildungen und 1 Tabelle im Text 158

Schmidt, U., Breuer, K.-H. & Eysel, W.: Crystal chemistry of barysilite-type compounds. With 8 figures and 3 tables in the text . 227

Schnorrer-Köhler, G. s. Süsse, P.

Schürmann, K. s. Fiedler, F.-J.

Siegmann, E. s. Willgallis, A.

Simmons, W. B. s. Peacor, D. R.

Skounakis, St. & Economou, M.: An occurrence of magnetite with network texture in serpentinites from Veria area, Greece. With 5 figures in the text 97

Smith, G. & Langer, K.: High pressure spectra up to 120 kbars of the synthetic garnet end members spessartine and almandine. With 5 figures and 3 tables in the text 541

Soláns, X. s. Arriortua, M. I.

Süsse, P. & Schnorrer-Köhler, G.: Richelsdorfit, $Ca_2Cu_5Sb[Cl/(OH)_6/(AsO_4)_4] \cdot 6H_2O$, ein neues Mineral. [Richelsdorfite, a new mineral.] Mit 2 Abbildungen und 4 Tabellen im Text . . 145

Tadini, C. s. Giuseppetti, G.

Tillmanns, E. s. Fischer, R. X.

Tsepin, A. I. s. Basu, K.

Tullis, J. s. Yund, R. A.

Vezzalini, G. s. Alberti, A.

Vyalsov, L. N. s. Basu, K.

Wagner, M. s. Hammerschmidt, K.

Walenta, K.: Uranosilit, ein neues Mineral aus der Uranlagerstätte von Menzenschwand im südlichen Schwarzwald. [Uranosilite, a new mineral from the uranium deposit at Menzenschwand (southern Black Forest).] Mit 2 Abbildungen und 1 Tabelle im Text . . . 259

Will, G. s. Effenberger, H.

Willgallis, A., Siegmann, E. & Hettiaratchi, Th.: Srilankite, a new Zr–Ti-oxide mineral. With 4 figures and 2 tables in the text 151

Yund, R. A. & Tullis, J.: Strained cell parameters for coherent lamellae in alkali feldspars and iron-free pyroxenes. With 2 figures and 3 tables in the text 22

Zaun, P. E.: A contribution to the formation of illite at surface temperatures – samples isolated from ancient pottery. With 2 tables in the text 236

Zefiro, L. s. Basso, R.

Zemann, J. s. Beran, A.

Zobetz, E. s. Effenberger, H.